

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)

deployment descriptor EAR JAR validating

Search

[Advanced Search](#)  
[Preferences](#)New! [View and manage your web history](#)

Web

Results 1 - 10 of about 60,800 for **deployment descriptor EAR JAR validating**. (0.12 seconds)

### [appc Reference](#)

prompt>java weblogic.appc [options] <ear, jar, or war file or directory> ... J2EE allows you to designate an alternative J2EE **deployment descriptor** for an ...  
e-docs.bea.com/wls/docs92/ejb/appc\_ejbc.html - 43k - [Cached](#) - [Similar pages](#)

### [appc and ejbc Reference](#)

prompt>java weblogic.appc [options] <ear, jar, or war file or directory> .... Although versions of the WebLogic-specific XML **deployment descriptor** files are ...  
e-docs.bea.com/wls/docs81/ejb/appc\_ejbc.html - 46k - [Cached](#) - [Similar pages](#)  
[ [More results from e-docs.bea.com](#) ]

### [Common validation errors and solutions](#)

Define a **descriptor** on the Beans tab of the **Deployment Descriptor** Editor. ... is a project utility **JAR** in every **EAR** that uses this EJB project as a module. ...  
publib.boulder.ibm.com/infocenter/rtnlhelp/v6r0m0/topic/com.ibm.etools.j2eeapp.doc/topics/rvalerr.html - 13k - [Cached](#) - [Similar pages](#)

### [Deployment Descriptor Editor](#)

application-client.xml. /META-INF. **EAR**. application.xml. EJB **JAR** ... **Validating a deployment descriptor** The **Deployment Descriptor** Editor automatically ...  
www.novell.com/documentation/extend52/Docs/help/Director/books/utoolsDeployDescEditor.html - 16k - [Cached](#) - [Similar pages](#)

### [2 Understanding Orion CMP Application Development](#)

Employ the EJB Verifier to **validate** ejb-jar.xml **deployment descriptor** against DTD and to .... Archive all elements of the application into an **EAR** file. ...  
download-uk.oracle.com/docs/cd/B32110\_01/web.1013/b28220/undejdev.htm - 30k - [Cached](#) - [Similar pages](#)

### [Common validation errors and solutions](#)

Ensure that the **deployment descriptor** is valid. ... is open, and is a project utility **JAR** in every **EAR** that uses this EJB project as a module. ...  
help.eclipse.org/help32/topic/org.eclipse.jst.j2ee.doc.user/topics/rvalerr.html - 14k - [Cached](#) - [Similar pages](#)

### [O'Reilly - Safari Books Online - 0738499595 - z/OS WebSphere and ...](#)

The EJB method permission descriptors, located in each EJB jar file's **deployment descriptor**, define the access granted to EJB methods. ...  
safari.oreilly.com/0738499595/part07 - [Similar pages](#)

### [Re: \[jonas\] Cannot read deployment descriptor from ejb-jar, but ...](#)

startServices : ear service started The JOnAS Server 'jonas' version 4.7.4 is ready ...  
Cannot read **deployment descriptor** from ejb-jar, but actually it is ...  
mail-archive.objectweb.org/jonas/2006-08/msg00151.html - 26k - [Cached](#) - [Similar pages](#)

### [test plan: EJB Module validation](#)

Open the MessageDrivenClient **deployment descriptor** and go to the source page. ... in module 'MessageDestinationClient.jar' and **EAR** 'MessageDestination'. ...  
www.eclipse.org/webtools/jst/components/j2ee/scenarios/ejbvalidation\_testplan.html - 10k - [Cached](#) - [Similar pages](#)

### Mailing list archives


This context can contain **deployment descriptor** POJOs > or xml, ... MBean - for each EJB

**JAR** in **EAR**: - common deployer calls EJBContainer to **validate** a **JAR**, ...

mail-archives.apache.org/.../%3CPine.LNX.4.44.0310040932100.3304-100000@www.princetongames.org%3E - 12k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)[Google](#)

Validation EJB Test Beans deployment descri

[Advanced Search](#)  
[Preferences](#)[New!](#) [View and manage your web history](#)**Web** Results 1 - 10 of about 74,300 for **Validation EJB Test Beans deployment descriptor**. (0.11 seconds)

### [docs.sun.com: Sun Java System Application Server Enterprise ...](#)

If the **EJB** component is an entity **bean** with container-managed persistence, .... ParseDD

**Test Assertion** : **Test** parses the **deployment descriptor** using a SAX ...

[docs.sun.com/app/docs/doc/819-2556/6n4rap8q0?a=view](#) - 23k - [Cached](#) - [Similar pages](#)

### [Configuring and Managing Enterprise Applications](#)

The document type declaration enables a **validation** tool to read the container ...

**Deployment Descriptor** for Clock **Bean** --> <ejb-jar> <enterprise-beans> ...

[www.iona.com/support/docs/iportal\\_application\\_server/](#)

[3.0/DevelopGuide/html/EntAppMan.html](#) - 27k - [Cached](#) - [Similar pages](#)

### [EJB deployment tool](#)

Before you can successfully run your enterprise **beans** on either a **test** or ... Message  
format for **EJB validation** By default, before **EJB deployment** code is ...

[publib.boulder.ibm.com/infocenter/wasinfo/](#)

[v6r0/topic/com.ibm.etools.ejbbatchdeploy.doc/topics/cejbdeploy.html](#) - 10k -

[Cached](#) - [Similar pages](#)

### [Limitations of EJB development tools](#)

If you are modifying CMP entity **beans** in an inheritance hierarchy, you should use the  
wizards and interface portions of the **EJB deployment descriptor** editor ...

[publib.boulder.ibm.com/infocenter/wsadhelp/](#)

[v5r1m2/topic/com.ibm.etools.ejb.doc/topics/relimitcurrent.html](#) - 12k -

[Cached](#) - [Similar pages](#)

### [ONJava.com -- Developing Your First EJBs, Part 2](#)

Chapter 11 describes how to deploy several **beans** in one **deployment descriptor**, but for  
now the TravelAgent and Cabin **EJBs** are deployed separately. ...

[www.onjava.com/pub/a/onjava/excerpt/ejb4\\_chap4/index1.html?page=last](#) - 35k -

[Cached](#) - [Similar pages](#)

### [WA1557 EJB Programming with Rational Application Developer \(RAD ...](#)

Local **EJBs**; **EJB** Application Development; Deploying Enterprise Beans; Major  
Components ... **EJB Deployment Descriptor**; Add an EJBQL query; Add an EJBQL  
query... ...

[www.webagesolutions.com/training/websphere/rad7/wa1557/outline.html](#) - 19k -

[Cached](#) - [Similar pages](#)

### [EJB Training Classes, Learn Enterprise JavaBeans \(EJB\) Course](#)

Deploying Enterprise Java Beans. Creating and Using the **Deployment Descriptor**; Adding  
information to a **Deployment Descriptor**; Using JNDI to Look Up **EJBs** ...

[www.open-source-training-courses.com/OnSiteCourses/Enterprise-Java-Beans-J2EE-](#)

[Course.htm](#) - 22k - [Cached](#) - [Similar pages](#)

### [test plan: EJB Module validation](#)

**Validation** on J2EE modules can be manual or automatic. ... **Test EJB MDB 2.1 Validation**  
Instructions to Tester ... B. Open the **EJB deployment descriptor**. ...

[www.eclipse.org/webtools/jst/components/j2ee/scenarios/ejbvalidation\\_testplan.html](#) - 10k

- [Cached](#) - [Similar pages](#)

[/training/etc Course Outlines](#)

Understand how to develop, **test**, and deploy **EJBs** with RAD. ... Developing Entity **Beans** in RAD; Adding a CMP Entity **EJB**; **EJB Deployment Descriptor** ...

[www.trainingetc.com/courseCatalog/html/individual/TE1106.html](http://www.trainingetc.com/courseCatalog/html/individual/TE1106.html) - 19k - [Cached](#) - [Similar pages](#)


[Generating Primary Key Values in CMP Beans](#)

Creating the **EJB** Module. When you generate the CMP **beans** from the database ... the appropriate changes to the **deployment descriptor** and ejbCreate method. ...

[www.netbeans.org/kb/41/generated-primary-keys.html](http://www.netbeans.org/kb/41/generated-primary-keys.html) - 23k - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Web Images Video News Maps Gmail more

Google

descriptor XML Meta-inf validator deployment J2EE - Google Search

Web Results 1 - 10 of about 28,500 for descriptor XML Meta-inf validator deployment J2EE. (0.07 seconds)

Sign in

**Common validation errors and solutions**  
CHKJ1000. Validation failed because the application client file is not valid. Ensure that the deployment descriptor is valid. The application-client.xml ...  
publib.boulder.ibm.com/infocenter/rtnhelp/ver0m0/topic/com.ibm.etools.j2eeapp.doc/topics/rvalerr.html - 13k - [Cached](#) - [Similar pages](#)

**Understanding WebLogic Server Applications and Basic Concepts**  
See Organizing J2EE Components in a Split Development Directory. The META-INF/application.xml deployment descriptor contains an element for each Web ...  
e-docs.bea.com/wis/docs81/programming/concepts.html - 48k - [Cached](#) - [Similar pages](#)

**Packaging and Deploying Connectors**  
Create an ra.xml deployment descriptor in the META-INF subdirectory and add ... The deployment descriptor ra.xml is defined by Sun Microsystems in the J2EE ...  
e-docs.bea.com/wis/docs81/jconnector/packdepla.html - 27k - [Cached](#) - [Similar pages](#)  
[ More results from e-docs.bea.com ]

**Maven J2EE plugin - Maven J2EE Plug-in Goals**  
application.xml. A J2EE enterprise application deployment descriptor, which is placed in the META-INF of the resulting ear file. ...  
maven.apache.org/maven-1.x/plugins/j2ee/goals.html - 12k - [Cached](#) - [Similar pages](#)

**Deployment Descriptor Editor**  
J2EE archive. Deployment descriptor file. Directory location. Application client.  
application-client.xml /META-INF/EAR. application.xml ...  
www.novell.com/documentation/extend52/Docs/help/Director/Tools/DeployDescEditor.html - 16k - [Cached](#) - [Similar pages](#)

**4.3. Introduction to Deployment**  
For application modules, there's typically one standard J2EE deployment descriptor (such as WEB-INF/web.xml or META-INF/ejb-jar.xml) and one Geronimo ...  
charnosolutions.com/geronimo/geronimo-1.0/elements-deployment.html - 19k - [Cached](#) - [Similar pages](#)

**Developing WebLogic Server J2EE Applications**  
Component deployment descriptors are XML documents that provide information needed to deploy the application in WebLogic Server. The J2EE specifications ...  
edocs.bea.com/wis/docs61/programming/environment.html - 80k - [Cached](#) - [Similar pages](#)

**test plan: EAR validation**  
Result: When the above XML is paste in the header of an J2EE 1.3 EAR the validator puts out a error message as follows: Document type version "1.2" for ...  
www.eclipse.org/webtools/sst/components/j2ee/scenarios/ear\_validation\_testplan.html - 11k - [Cached](#) - [Similar pages](#)

**J2EE Connector Programmer's Guide**  
Values are 0 for no checking, 1 to validate that the connection is not closed. ... This deployment descriptor must be stored with the name META-INF/ra.xml in ...  
jonas.objectweb.org/JOnAS\_4\_7/doc/G\_Connector.html - 17k - [Cached](#) - [Similar pages](#)

**@(#)ejb-jar\_2\_1.xsds 1.23 09/01/03 DO NOT ALTER OR REMOVE ...**  
The deployment descriptor must be named "META-INF/ejb-jar.xml" in the EJB's ... apply to all J2EE deployment descriptor elements unless indicated otherwise. ...  
java.sun.com/xml/hsf2ee/ejb-jar\_2\_1.xsd - 68k - [Cached](#) - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Download [Google Pack](#): free essential software for your PC

[descriptor XML Meta-inf validator de](#) [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)